

COMPACT AG GRAPPLE 50



Take a Picture of This QR Code With Your Smart Phone to See it in Action





FEATURES & BENEFITS

- Use on AG tractors up to 30HP
- Single 2" x 6" hydraulic cylinder

- 1/2" A36 steel
- Serrated tines

SPECIFICATIONS / OPTIONS

Models	CAGGR50
Overall Width	50"
Maximum Opening	34 5/16"
Weight	284 lbs
Hoses	Included
Quick Couplers	Not Included
Attachment Method	Standard Quick Attach







Take a Picture of This QR Code With Your Smart Phone to See it in Action





FEATURES & BENEFITS

AG GRAPPLE

- Replaceable plow points
- 5/8" shanks
- 27" opening

SPECIFICATIONS / OPTIONS

Models	AGGR60	AGGR60JD	AGGR60E	AGGR72	AGGR72JD	AGGR72E
Overall Depth Closed	25"	25″	25″	25"	25"	25″
Overall Height Closed	37 3/4"	37 3/4"	37 3/4"	37 3/4"	37 3/4"	37 3/4"
Overall Width	60"	60"	60"	72"	72"	72″
Grapple Opening	27 9/16"	27 9/16"	27 9/16"	27 9/16"	27 9/16"	27 9/16"
Useable Open Height	30 1/2"	30 1/2"	30 1/2"	30 1/2"	30 1/2"	30 1/2"
Useable Width	60"	60"	60"	72"	72"	72"
Weight	372 lbs	372 lbs	372 lbs	409 lbs	409 lbs	409 lbs
Number of Teeth	5	5	5	5	5	5
Hoses	Included	Included	Included	Included	Included	Included
Quick Couplers	Not Included					
Horse Power Max	40	40	40	40	40	40



• Designed for AG tractors - not for skid steer use







DOUBLE ARM GRAPPLE



Take a Picture of This QR Code With Your Smart Phone to See it in Action





FEATURES & BENEFITS

- Replaceable teeth
- Double arm design
- Optional middle connector locks arms together
- 5/8" shanks
- 39 1/2" opening
- Standard skid steer Quick Attach mount

SPECIFICATIONS / OPTIONS

Models	DAGGR60	DAGGR72		
Overall Height Closed	33 3/16"	33 3/16		
Overall Width	60 7/8"	72 7/8"		
Overall Depth Closed	23 3/8"	23 3/8"		
Max Grapple Opening	39 1/2"	39 1/2"		
Greasable Pivot Points	Yes	Yes		
Shank Size	5/8"	5/8"		
Weight	435 lbs	462 lbs		
Weight w/ Middle Connector In stalled	488 lbs	527 lbs		
Number of Shanks	5	5		
Hoses	Included	Included		
Quick Couplers	Not Included	Not Included		
Max Horse Power 70		70		



